



ESCAPE SERIES ACOUSTIC WALL ART | 3-PANEL ROLLING HILLS DESIGN | 141"W X 84"H | AVAILABLE IN 15 COLORS



\$900.00

Easy installation. Can be mounted on the wall using hot glue, trim nails, Z clips, or double-sided tape. We offer an optional mounting bar that can be attached to the panels and used to screw them to the walls, or to suspend them from the ceiling.

- Design: Rolling Hills (3-panel set)
- Overall Size: 141"W x 84"H
- Panel size: 47"W X 84"H
- Excellent acoustical qualities. 1/2" thick PET material, 0.75 NRC rating.
- Made from recycled plastic bottles, and is 100% recyclable.




Skutchi Designs, Inc.

(888) 993-3757
sales@skutchi.com

- No harmful emissions
- Water resistant
- Hanging hardware not included
- NOTE: Due to manufacturing process, one side may be rougher than the other
- Panel Thickness: 12mm (1/2 inch)
- Custom Designs Available


SKU: WA-3PC-RH-PET-84H-47W

GALLERY IMAGES




eSCAPE
ACOUSTICAL
SOLUTIONS

Color Options



eSCAPE
ACOUSTICAL & PRIVACY SOLUTIONS



Sound Dampening Panels

Made From Recycled Materials

PRODUCT DESCRIPTION

Our eSCAPE line of wall mounted acoustic panels are made in the USA!

Fewer distractions at work means increased productivity throughout the day. This eSCAPE Acoustical Products line shows a set of two (3) wall mounted acoustic panels featuring our



"rolling hills" design. Not only are wall panels a creative way to visually enhance the workspace, but also effective at reducing annoying office noises.

<h3>What Is PET Made From?</h3>

PET (Polyethylene Terephthalate) is a soft, felt-like material made with 100% recycled plastics such as soda or water bottles plastics. Instead of ending up in landfills or oceans, the plastics in these products are remade into colorful, 1/2" thick panels. Those panels are then cut into custom shapes and sizes to be used to reduce noise pollution and annoying noises in the office.

The sound absorbing material in our wall mounted acoustic panels is extremely effective in reducing ambient noise! It has a NRC (Noise Reduction Coefficient) rating of .75 or about 75% of high decibel noise.

<h3>Safety</h3>

PET material has no harmful emissions, has no scent, nor is it flammable. In fact, the ASTM gives it a fireproof rating of E-84 CLASS A; the safest rating wall mounted acoustic panels can have. Not only are they durable, but easy to clean as well.

<h3>How Do I Hang Them?</h3>

Because of their light weight, these wall-mounted acoustic panels are easy to hang! They can be mounted numerous ways, including hot glue, finishing nail brads, Z clips, or double-sided tape. Additionally, we offer an optional mounting bar which can be attached to the panels and used to secure them to the walls or suspend them from a ceiling.