

# ESCAPE SERIES BIRCH TREE ACOUSTIC WALL ART | 47"W X 84"H | AVAILABLE IN 15 COLORS



## \$300.00

Easy installation. Can be mounted on the wall using hot glue, trim nails, Z clips, or double-sided tape. We offer an optional mounting bar that can be attached to the panels and used to screw them to the walls, or to suspend them from the ceiling.

Design: Birch TreeSize: 47"W x 84"H

- Excellent acoustical qualities. 1/2" thick PET material, 0.75 NRC rating.
- Made from recycled plastic bottles, and is 100% recyclable.
- No harmful emissions



- Water resistant
- Easily installed
- Hanging hardware not included
- o NOTE: Due to manufacturing process, one side may be rougher than the other
- Panel Thickness: 12mm (1/2 inch)
- Custom Designs Available

SKU: WA-BT-PET-84H-47W

#### **GALLERY IMAGES**







#### PRODUCT DESCRIPTION

Our eSCAPE Acoustical Products line of of noise reducing hanging panels are "Made in the USA!"

Fewer distractions at work means increased productivity throughout the day. This **eSCAPE Acoustical Products** line shows our hanging acoustic panels. Not only are hanging panels a creative way to visually enhance the workspace, but also effective at reducing annoying office noises.



Pictured here is a 47"W x 84"H sheet which features our "Birch Tree" design. It's a very popular design with our customers and you can order it in your choice of 15 different colors. The "Birch Tree" design featured here is one of dozens patterns you can choose from. We can even create custom patterns and shapes such as company logos and corporate brands.

#### What Is PET Made From?

The PET (Polyethylene Terephthalate) material our panels are made from is a soft, felt-like material made with 100% recycled plastics such as soda or water bottles plastics. Instead of ending up in landfills or oceans, the plastics in these products are recycled and repurposed into colorful, 1/2" thick panels.

Those panels are then cut into custom shapes and sizes to be displayed throughout your office or workplace.

They have a NRC (Noise Reduction Coefficient) rating of .75 or about 75% of high decibel noise.

#### **Are PET Panels Safe?**

Yes. Absolutely. PET material produces no harmful emissions, has no scent, nor is it flammable. In fact, the ASTM (American Society for Testing and Materials) gives the PET material a fireproof rating of E-84 CLASS A; the safest rating wall mounted acoustic panels can have. Not only are they durable, but easy to clean as well.

### **How Do I Hang Them?**

Because of their light weight, these hanging acoustic panels are easy to install! We offer an optional mounting bar which can be attached to the panels and used to secure them to the walls or suspend them from a ceiling.